

#14



1648

RAW SEQUENCE LISTING
 PATENT APPLICATION: US/09/757,655A

DATE: 07/12/2002
 TIME: 10:38:42

Input Set : A:\FUJII SEQUENCE LISTING.txt
 Output Set: N:\CRF3\07122002\I757655A.raw

ENTERED

3 <110> APPLICANT: FUJII, Takeru
 4 YOKOYAMA, Hideakira
 5 HAMAMOTO, Hidetoshi
 7 <120> TITLE OF INVENTION: A PEPTIDE HAVING AN AFFINITY FOR gp120
 9 <130> FILE REFERENCE: 2001-0019A/LC/01732
 11 <140> CURRENT APPLICATION NUMBER: 09/757,655A
 12 <141> CURRENT FILING DATE: 2001-01-11
 14 <150> PRIOR APPLICATION NUMBER: JP No. 2000-6182
 15 <151> PRIOR FILING DATE: 2000-01-11
 17 <160> NUMBER OF SEQ ID NOS: 19
 19 <170> SOFTWARE: PatentIn Ver. 2.0
 21 <210> SEQ ID NO: 1
 22 <211> LENGTH: 5
 23 <212> TYPE: PRT
 24 <213> ORGANISM: Artificial Sequence
 26 <220> FEATURE:
 27 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 29 <220> FEATURE:
 W--> 30 <221> NAME/KEY: Residue
 31 <222> LOCATION: (1)
 32 <223> OTHER INFORMATION: Xaa = Asp, Lys, Val, Glu, Gly, Asn or Tyr
 34 <220> FEATURE:
 W--> 35 <221> NAME/KEY: Residue
 36 <222> LOCATION: (2)
 37 <223> OTHER INFORMATION: Xaa = Val, Asp, Trp, Lys, Phe, Ile, Leu or Tyr
 39 <220> FEATURE:
 W--> 40 <221> NAME/KEY: Residue
 41 <222> LOCATION: (3)
 42 <223> OTHER INFORMATION: Xaa = Lys, Val, Asp, Arg, Ala or Trp
 44 <220> FEATURE:
 W--> 45 <221> NAME/KEY: Residue
 46 <222> LOCATION: (4)
 47 <223> OTHER INFORMATION: Xaa = Ala, Trp or Gly
 49 <220> FEATURE:
 W--> 50 <221> NAME/KEY: Residue
 51 <222> LOCATION: (5)
 52 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His,
 Lys, Arg,
 53 Phe, Trp, Pro or Tyr
 55 <400> SEQUENCE: 1
 56 Xaa Xaa Xaa Xaa Xaa
 57 1 5
 59 <210> SEQ ID NO: 2
 60 <211> LENGTH: 5

RAW SEQUENCE LISTING

DATE: 07/12/2002

PATENT APPLICATION: US/09/757,655A

TIME: 10:38:42

Input Set : A:\FUJII SEQUENCE LISTING.txt

Output Set: N:\CRF3\07122002\I757655A.raw

```

61 <212> TYPE: PRT
62 <213> ORGANISM: Artificial Sequence
64 <220> FEATURE:
65 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
67 <220> FEATURE:
W--> 68 <221> NAME/KEY: Residue
69 <222> LOCATION: (1)
70 <223> OTHER INFORMATION: Xaa = Asp, Lys, Val, Glu, Gly, Asn or Tyr, or polypeptide
residue that an
71 arbitrary amino acid stood in line in the N-terminal side from this amino acid
73 <220> FEATURE:
W--> 74 <221> NAME/KEY: Residue
75 <222> LOCATION: (2)
76 <223> OTHER INFORMATION: Xaa = Val, Asp, Trp, Lys, Phe, Ile, Leu or Tyr
78 <220> FEATURE:
W--> 79 <221> NAME/KEY: Residue
80 <222> LOCATION: (3)
81 <223> OTHER INFORMATION: Xaa = Lys, Val, Asp, Arg, Ala or Trp
83 <220> FEATURE:
W--> 84 <221> NAME/KEY: Residue
85 <222> LOCATION: (4)
86 <223> OTHER INFORMATION: Xaa = Ala, Trp or Gly
88 <220> FEATURE:
W--> 89 <221> NAME/KEY: Residue
90 <222> LOCATION: (5)
91 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His,
Lys, Arg,
92 Phe, Trp, Pro or Tyr
94 <400> SEQUENCE: 2
W--> 95 Xaa Xaa Xaa Xaa Xaa
96 1 5
98 <210> SEQ ID NO: 3
99 <211> LENGTH: 5
100 <212> TYPE: PRT
101 <213> ORGANISM: Artificial Sequence
103 <220> FEATURE:
104 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
106 <220> FEATURE:
W--> 107 <221> NAME/KEY: Residue
108 <222> LOCATION: (1)
109 <223> OTHER INFORMATION: Xaa = Asp, Lys, Val, Glu, Gly, Asn or Tyr
111 <220> FEATURE:
W--> 112 <221> NAME/KEY: Residue
113 <222> LOCATION: (2)
114 <223> OTHER INFORMATION: Xaa = Val, Asp, Trp, Lys, Phe, Ile, Leu or Tyr
116 <220> FEATURE:
W--> 117 <221> NAME/KEY: Residue
118 <222> LOCATION: (3)
119 <223> OTHER INFORMATION: Xaa = Lys, Val, Asp, Arg, Ala or Trp
121 <220> FEATURE:
W--> 122 <221> NAME/KEY: Residue

```

RAW SEQUENCE LISTING

DATE: 07/12/2002

PATENT APPLICATION: US/09/757,655A

TIME: 10:38:42

Input Set : A:\FUJII SEQUENCE LISTING.txt

Output Set: N:\CRF3\07122002\I757655A.raw

123 <222> LOCATION: (4)
 124 <223> OTHER INFORMATION: Xaa = Ala, Trp or Gly
 126 <220> FEATURE:
 W--> 127 <221> NAME/KEY: Residue
 128 <222> LOCATION: (5)
 129 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Thr, Met, Asn, Gln, His, Lys,
 Arg,
 130 Phe, Trp, Pro or Tyr, or polypeptide residue that an arbitrary amino acid
 131 stood in line in the C-terminal side of this amino acid, H
 133 <400> SEQUENCE: 3
 W--> 134 Xaa Xaa Xaa Xaa Xaa
 135 1 5
 138 <210> SEQ ID NO: 4
 139 <211> LENGTH: 5
 140 <212> TYPE: PRT
 141 <213> ORGANISM: Artificial Sequence
 143 <220> FEATURE:
 144 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 146 <220> FEATURE:
 W--> 147 <221> NAME/KEY: Residue
 148 <222> LOCATION: (1)
 149 <223> OTHER INFORMATION: Xaa = Tyr, Arg, Phe, Gly, Trp, His or Asp
 151 <220> FEATURE:
 W--> 152 <221> NAME/KEY: Residue
 153 <222> LOCATION: (2)
 154 <223> OTHER INFORMATION: Xaa = Arg, Tyr, Trp, Ala, Val, Gln, His or Lys
 156 <220> FEATURE:
 W--> 157 <221> NAME/KEY: Residue
 158 <222> LOCATION: (3)
 159 <223> OTHER INFORMATION: Xaa = Lys, Tyr, Arg, Glu, Met or Trp
 161 <220> FEATURE:
 W--> 162 <221> NAME/KEY: Residue
 163 <222> LOCATION: (4)
 164 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His,
 Lys, Arg,
 165 Phe or Trp
 167 <220> FEATURE:
 W--> 168 <221> NAME/KEY: Residue
 169 <222> LOCATION: (5)
 170 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His,
 Lys, Arg,
 171 Phe, Tyr or Trp
 173 <400> SEQUENCE: 4
 W--> 174 Xaa Xaa Xaa Xaa Xaa
 175 1 5
 177 <210> SEQ ID NO: 5
 178 <211> LENGTH: 5
 179 <212> TYPE: PRT
 180 <213> ORGANISM: Artificial Sequence
 182 <220> FEATURE:
 183 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 185 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 07/12/2002

PATENT APPLICATION: US/09/757,655A

TIME: 10:38:42

Input Set : A:\FUJII SEQUENCE LISTING.txt

Output Set: N:\CRF3\07122002\I757655A.raw

W--> 186 <221> NAME/KEY: Residue
 187 <222> LOCATION: (1)
 188 <223> OTHER INFORMATION: Xaa = Tyr, Arg, Phe, Gly, Trp, His or Asp, or polypeptide residue that an
 189 arbitrary amino acid stood in the N-terminal side from this amino acid
 191 <220> FEATURE:

W--> 192 <221> NAME/KEY: Residue
 193 <222> LOCATION: (2)
 194 <223> OTHER INFORMATION: Xaa = Arg, Tyr, Trp, Ala, Val, Gln, His or Lys
 196 <220> FEATURE:

W--> 197 <221> NAME/KEY: Residue
 198 <222> LOCATION: (3)
 199 <223> OTHER INFORMATION: Xaa = Lys, Tyr, Arg, Glu, Met or Trp
 201 <220> FEATURE:

W--> 202 <221> NAME/KEY: Residue
 203 <222> LOCATION: (4)
 204 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
 205 Phe or Trp
 207 <220> FEATURE:

W--> 208 <221> NAME/KEY: Residue
 209 <222> LOCATION: (5)
 210 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
 211 Phe, Tyr or Trp
 213 <400> SEQUENCE: 5
 214 Xaa Xaa Xaa Xaa Xaa
 215 1 ^ 5
 217 <210> SEQ ID NO: 6
 218 <211> LENGTH: 5
 219 <212> TYPE: PRT
 220 <213> ORGANISM: Artificial Sequence
 222 <220> FEATURE:
 223 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 225 <220> FEATURE:

W--> 226 <221> NAME/KEY: Residue
 227 <222> LOCATION: (1)
 228 <223> OTHER INFORMATION: Xaa = Tyr, Arg, Phe, Gly, Trp, His or Asp
 230 <220> FEATURE:

W--> 231 <221> NAME/KEY: Residue
 232 <222> LOCATION: (2)
 233 <223> OTHER INFORMATION: Xaa = Arg, Tyr, Trp, Ala, Val, Gln, His or Lys
 235 <220> FEATURE:

W--> 236 <221> NAME/KEY: Residue
 237 <222> LOCATION: (3)
 238 <223> OTHER INFORMATION: Xaa = Lys, Tyr, Arg, Glu, Met or Trp
 240 <220> FEATURE:

W--> 241 <221> NAME/KEY: Residue
 242 <222> LOCATION: (4)
 243 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His, Lys, Arg,
 244 Phe or Trp
 246 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 07/12/2002

PATENT APPLICATION: US/09/757,655A

TIME: 10:38:42

Input Set : A:\FUJII SEQUENCE LISTING.txt

Output Set: N:\CRF3\07122002\I757655A.raw

W--> 247 <221> NAME/KEY: Residue
 248 <222> LOCATION: (5)
 249 <223> OTHER INFORMATION: Xaa = Gly, Ala, Val, Leu, Ile, Ser, Thr, Met, Asn, Gln, His,
 Lys, Arg,
 250 Phe, Tyr or Trp, or polypeptide residue that an arbitrary amino acid stood in
 line
 251 in the C-terminal side of this amino acid
 253 <400> SEQUENCE: 6
 W--> 254 Xaa Xaa Xaa Xaa Xaa
 255 1 5
 257 <210> SEQ ID NO: 7
 258 <211> LENGTH: 7
 259 <212> TYPE: PRT
 260 <213> ORGANISM: Artificial Sequence
 262 <220> FEATURE:
 263 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 265 <400> SEQUENCE: 7
 266 Gly Gly Asp Val Lys Ala Gly
 267 1 5
 269 <210> SEQ ID NO: 8
 270 <211> LENGTH: 6
 271 <212> TYPE: PRT
 272 <213> ORGANISM: Artificial Sequence
 274 <220> FEATURE:
 275 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 277 <400> SEQUENCE: 8
 278 Gly Asp Val Lys Ala Gly
 279 1 5
 281 <210> SEQ ID NO: 9
 282 <211> LENGTH: 6
 283 <212> TYPE: PRT
 284 <213> ORGANISM: Artificial Sequence
 286 <220> FEATURE:
 287 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 289 <400> SEQUENCE: 9
 290 Gly Tyr Tyr Lys Ala Ala
 291 1 5
 293 <210> SEQ ID NO: 10
 294 <211> LENGTH: 6
 295 <212> TYPE: PRT
 296 <213> ORGANISM: Artificial Sequence
 298 <220> FEATURE:
 299 <223> OTHER INFORMATION: Description of Artificial Sequence: Synthetic Peptide
 301 <400> SEQUENCE: 10
 302 Gly Tyr Ala Tyr Arg Lys
 303 1 5
 305 <210> SEQ ID NO: 11
 306 <211> LENGTH: 6
 307 <212> TYPE: PRT
 308 <213> ORGANISM: Artificial Sequence
 310 <220> FEATURE:

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/757,655A

DATE: 07/12/2002
TIME: 10:38:43

Input Set : A:\FUJII SEQUENCE LISTING.txt
Output Set: N:\CRF3\07122002\I757655A.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,2,3,4,5
Seq#:2; Xaa Pos. 1,2,3,4,5
Seq#:3; Xaa Pos. 1,2,3,4,5
Seq#:4; Xaa Pos. 1,2,3,4,5
Seq#:5; Xaa Pos. 1,2,3,4,5
Seq#:6; Xaa Pos. 1,2,3,4,5

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:5; Line(s) 188
Seq#:6; Line(s) 250